Application No. 10/735,219

Paper Dated: July 28, 2005

In Reply to USPTO Correspondence of June 28, 2005

Attorney Docket No. 4034-032416

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

1.(Currently Amended): An transformer core structure utilized in an inverter transformer, the

transformer core structure comprising:

a first core having a plurality of fork elements, a connection element, and a bottom element,

the fork elements being parallel to each other and coupling to one side of the connection element, another side

of the connection element further coupling to the bottom element; and

a second core having a plurality of fork position openings and a bottom opening, wherein

when the first core is coupled to the second core, each of the fork position openings corresponds to one of the

fork elements and the bottom opening corresponds to the bottom element.

2. (Currently Amended): The inverter transformer eore structure of claim 1, wherein the

second core further comprises a bottom indentation to form a bottom gap between the first core and the second

core when the first core is coupled to the second core.

3. (Currently Amended): The inverter transformer core structure of claim 2, wherein the

second core further comprises a plurality of fork position indentations to form a plurality of fork position gaps

between the first core and the second core when the first core is coupled to the second core, wherein a quantity

of the fork position indentations is equal to a quantity of the fork elements.

4. (Currently Amended): The inverter transformer core-structure of claim 3, wherein the

inverter converter further comprisinges a primary coil module and a plurality of secondary coil modules, the

bottom indentation and the fork position indentations further coupling to the primary coil module and the

secondary coil modules so as to be fixed on the first core when the first core is coupled to the second core.

5. (Currently Amended): The inverter transformer core structure of claim 4, wherein each of

the secondary coil modules of the inverter transformer converter-further comprises a plurality of partition

troughs.

Page 2 of 5

{W0203503.1}

Application No. 10/735,219

Paper Dated: July 28, 2005

In Reply to USPTO Correspondence of June 28, 2005

Attorney Docket No. 4034-032416

6. (Currently Amended): An transformer core structure utilized in an inverter transformer, the

transformer core structure comprising:

a Y core having two fork elements, a connection element, and a bottom element, the fork

elements being parallel to each other and coupling to one side of the connection element, and another side of

the connection element further coupling to the bottom element; and

a U core having two fork position openings and a bottom opening, wherein when the U core

is coupled to the Y core, each of the fork position openings corresponds to one of the fork elements and the

bottom opening corresponds to the bottom element.

7. (Currently Amended): The inverter transformer core structure of claim 6, wherein the U

core further comprises a bottom indentation to form a bottom gap between the Y core and the U core when the

U core is coupled to the Y core.

8. (Currently Amended): The inverter transformer eore structure of claim 7, wherein the U

core further comprises two fork position indentations to form two fork position gaps between the Y core and

the U core when the U core is coupled to the Y core.

9. (Currently Amended): The inverter transformer core structure of claim 8, wherein the

inverter converter further comprisinges a primary coil module and two secondary coil modules, the bottom

indentation and the fork position indentations further coupling to the primary coil module and the secondary

coil modules so as to be fixed on the Y core when the U core is coupled to the Y core.

10. (Currently Amended): The inverter transformer eore structure of claim 9, wherein each

of the secondary coil modules of the inverter transformer converter-further comprises a plurality of partition

troughs.

11. (Currently Amended): The inverter transformer of claim 1, further comprising: An

inverter transformer, comprising:

a first core having a plurality of fork elements, a connection element, and a bottom element,

the fork elements being parallel to each other and coupling to one side of the connection element, and another

Page 3 of 5

{W0203503.1}

Application No. 10/735,219

Paper Dated: July 28, 2005

In Reply to USPTO Correspondence of June 28, 2005

Attorney Docket No. 4034-032416

side of the connection element further coupling to the bottom element;

a second core having a plurality of fork position openings and a bottom opening, wherein

when the first core is coupled to the second core, each of the fork position openings corresponds to one of the

fork elements one-to-one and the bottom opening-corresponds to the bottom element;

a primary coil module coupling to the bottom element of the first core; and

a plurality of secondary coil module coupling one-to-one to the fork elements.

12. (Currently Amended): The inverter transformer of claim 14, wherein the second core

further comprises a bottom indentation to form a bottom gap between the first core and the second core when

the first core is coupled to the second core, wherein the bottom indentation further locks the primary coil

module.

13. (Original): The inverter transformer of claim 12, wherein the second core further

comprises a plurality of fork position indentations to form a plurality of fork position gaps between the first

core and the second core when the first core is coupled to the second core, wherein each of the fork position

indentations further locks one-to-one with one of the secondary coil modules.

14. (Currently Amended): The inverter transformer of claim 13, wherein each of the

secondary coil modules of the inverter transformer converter further comprises a plurality of partition troughs

parallel to a assembly direction of the inverter transformer fixed on a print circuit board so that magnetic

circuits formed by the secondary coil module are parallel to the assembly direction of the inverter transformer

fixed on the print circuit board.

Page 4 of 5

{W0203503.1}